



MADE
IN
INDIA



KAPSUN®.com Air Coolers

Refreshing Air In Your Environment !!!

A Complete Range of Industrial & Commercial Air Coolers



Your Reliable Solution For Cooling & Global Warming

Why Air Coolers?

- ✧ It is the most prominent product in market for cooling large areas.
- ✧ Provides ideal cooling with water; a complete natural process.
- ✧ There is no emission of harmful gasses or hot air while working of the Air Cooler.
- ✧ Air Coolers has the best Power consumption to cooling ratio amongst any other cooling products. (Air Conditioner / Fan / Mist Fan)
- ✧ Air Coolers enhances the air circulation while adding ample amount of Oxygen in your Environment.
- ✧ Air Coolers are comparatively easy to maintain, transport and fix.
- ✧ Due to water cooled breeze, Air Coolers provide fresh air that refreshes any person enjoying the breeze.
- ✧ A relatively economical solution for all yours cooling problems.

Why KAPSUN Air Coolers?

- ✧ Since, 15 years of R&D and experience, KAPSUN® has managed to design and manufacture the most efficient Air Cooler for the people.
- ✧ Only Air Cooler company worldwide to provide UNCONDITIONAL WARRANTY for 1200 DAYS on all parts of Air Cooler, except the cooling pad.
- ✧ KAPSUN® is empowered with its own R&D, manufacturing, marketing and distributor channeling unit which makes us a strong independent company. We strive for and understand the value of customer satisfaction, as they are the ones who have build this company.
- ✧ Even after years of relentless cooling, KAPSUN® Air Coolers will work at maximum capacity with bare minimum vibration and noise pollution just like day one. Proven & Tested by our most valuable customers.
- ✧ KAPSUN® team keeps on innovating and upgrading the Air Coolers for maximum satisfaction of our customers.
- ✧ With 39+ Countries whom we have exported to, KAPSUN® has become one of the Global leaders in Air Coolers, with a brand value like none other.

About Us.

KAPSUN® is a 15 years old proud & self-reliant company with its roots from Ahmedabad & Vapi, INDIA. It all started with a concept of Industrial & Commercial cooling solution and the idea was Evaporative Air Cooler. Being the first Leaders to venture this plan, we took on the responsibility to provide the people with the best Industrial / Commercial Air Coolers around the globe. Closest to perfection is the answer and what we strive for. Best Performance, Easy Adaptability, Impeccable Durability & Economical in every sense is what we stand and deliver for.

With In-house manufacturing unit and a team of 350+, we have the strength to manufacture 550~700 Air Coolers per day while maintaining the quality simultaneously. At the same time, we are strengthening our unit with new machineries and infrastructure to take our manufacturing capacity to 1500 air coolers per day.

KAPSUN® is the leading Industrial & Commercial Air cooler brand in the India and one of the best around the globe with 39+ countries that we have exported to. We have registered 12 Patented Design from our cooler that provides a legitimacy of our Air Coolers in the market. With an unconditional warranty on our coolers, we want to show our valuable customers just how sturdy and reliable our products are. We want to connect to more people around the world and deliver them the best cooling possible.



Only company in the world to provide
1200 days Unconditional Warranty on Air Coolers.

ANTARCTICA®



KAPSUN®.com
Air Coolers



"Air Cooler Colour Combination" Reg. Copyright

ANTARCTICA®		المواصفات الفنية
مرحلة واحدة - ٣ سرعات / نحاس		نوع المحرك / لفة
٩٠٠ / ٤٩٠* W / ٠.٦٧* Hp		دوران في الدقيقة الواحدة / قوة الكهرباء / ايج بي
٣٠Inch / ٦٨*db / مروحة المنيوم ايكسيل		نوع المروحة / حجم / ضوضاء
١٨٠٠٠* CMH / ١٠٥٠٠* CFM		تدفق الهواء / قدم مكعب في الدقيقة الواحدة
١٠٩٥ X ١٠٠ X ١١٨٠ MM		حجم وسادة التبريد
وزن (كيلو غرام)	أبعاد ملي متر	المحيطات الفيزيائية
٤٩	١٥٥٠ X ٦٠٠ X ١١٣٠	AK09 (شواية او ثابت الوجه) PC (كوة او متحرك الوجه) LC
٥٤	١٥٥٠ X ٧٠٥ X ١١٣٠	
٥٦	١٧٨٥ X ٦٠٠ X ١١٣٠	AK12 (شواية او ثابت الوجه) PC (كوة او متحرك الوجه) LC
٦١	١٧٨٥ X ٧٠٥ X ١١٣٠	
٦٢	١٩٨٥ X ٦٠٠ X ١١٣٠	AK20 (شواية او ثابت الوجه) PC (كوة او متحرك الوجه) LC
٦٧	١٩٨٥ X ٧٠٥ X ١١٣٠	

"Day's Warranty" Reg. Copyright



كمية هواء قابلة للتعديل
لتناسب جميع الأحوال الجوية




يتم تسليم الهواء
النقي بالأكسجين إليك




أقل من ١/٣٠ تكلفة تشغيل
مكيف الهواء المبرد



عمل طبيعي كاملا



جميع الهواء الخارجي
نقي بنسبة ١٠٠ %



HSN CODE
8479

HIMALAYA®

KAPSUN®.com
Air Coolers



"Air Cooler Colour Combination" Reg. Copyright

HIMALAYA®		المواصفات الفنية
مرحلة واحدة - ٣ سرعات / نحاس		نوع المحرك / لفة
٩٠٠ / ١٧٥* W / ٠.٢٤* Hp		دوران في الدقيقة الواحدة / قوة الكهرباء / ايج بي
٢١ Inch / ٦٣*db		نوع المروحة / حجم / ضوضاء
٦٠٠* CMH / ٣٥٣* CFM		تدفق الهواء / قدم مكعب في الدقيقة الواحدة
٧٧٠ X ١٠٠ X ٧٠٠ MM		حجم وسادة التبريد
وزن (كيلو غرام)	أبعاد ملي متر	المحيطات الفيزيائية
٢٩	١٢٤٠ X ٤٨٠ X ٨٥٠	HK03 PC (شواية او ثابت الوجه) LC (كوة او متحرك الوجه)
٣١	١٢٤٠ X ٤٨٠ X ٨٥٠	
٣٠	١٤٤٠ X ٤٨٠ X ٨٥٠	HK06 PC (شواية او ثابت الوجه) LC (كوة او متحرك الوجه)
٣٢	١٤٤٠ X ٤٨٠ X ٨٥٠	
٣٤	١٧٤٥ X ٤٨٠ X ٨٥٠	HK17 PC (شواية او ثابت الوجه) LC (كوة او متحرك الوجه)
٣٦	١٧٤٥ X ٤٨٠ X ٨٥٠	

"Day's Warranty" Reg. Copyright



كمية هواء قابلة للتعديل
لتناسب جميع الأحوال الجوية



يتم تسليم الهواء
النقي بالأكسجين إليك




أقل من ١/٣٠ تكلفة تشغيل
مكيف الهواء المبرد



عمل طبيعي كاملا



جميع الهواء الخارجي
نقي بنسبة ١٠٠ %



HSN CODE
8479

TENTCOOLER®




NUSPAK®.com
Air Coolers



"Air Cooler Colour Combination" Reg. Copyright

TENTCOOLER®		المواصفات الفنية
مرحلة واحدة - ٣ سرعات / ألومنيوم		نوع المحرك / لفة
٩٠٠ / ٤٩٠* W / ٠.٦٧* Hp		دوران في الدقيقة الواحدة / قوة الكهرباء / ايج بي
٣٠Inch / ٦٨*db / مروحة محورية بلاستيكية		نوع المروحة / حجم / ضوضاء
١٨٠٠* CMH / ١٠٥٠* CFM		تدفق الهواء / قدم مكعب في الدقيقة الواحدة
١٠٩٥ X ١٠٠ X ١١٨٠ MM		حجم وسادة التبريد
وزن (كيلو غرام)	أبعاد ملي متر	المحيطات الفيزيائية
٤٦	١٥٥٠ X ٦٠٠ X ١١٣٠	TK09 PC (شواية او ثابت الوجه) LC (كوة او متحرك الوجه)
٥١	١٥٥٠ X ٧٠٥ X ١١٣٠	
٤٨	١٦٨٠ X ٦٠٠ X ١١٣٠	TK12 PC (شواية او ثابت الوجه) LC (كوة او متحرك الوجه)
٥٣	١٦٨٠ X ٧٠٥ X ١١٣٠	
٥٤	١٨٨٠ X ٦٠٠ X ١١٣٠	TK20 PC (شواية او ثابت الوجه) LC (كوة او متحرك الوجه)
٤٩	١٨٨٠ X ٧٠٥ X ١١٣٠	



كمية هواء قابلة للتعديل
لتناسب جميع الأحوال الجوية



يتم تسليم الهواء
النقي بالأكسجين إليك




أقل من ١/٣٠ تكلفة تشغيل
مكيف الهواء المبرد



عمل طبيعي كاملا



جميع الهواء الخارجي
نقي بنسبة ١٠٠ %



HSN CODE
8479

MASTCOOLER®



KAPCOOL®.com
Air Coolers

"Air Cooler Colour Combination" Reg. Copyright



٩٠ لتر

١٢٠ لتر

٢٠٠ لتر

TENTCOOLER®		المواصفات الفنية
مرحلة واحدة - ١ & ٣ سرعات / ألومنيوم		نوع المحرك / لفة
٩٠٠ / ٤٩٠* W / ٠.٦٧* Hp		دوران في الدقيقة الواحدة / قوة الكهرباء / ايج بي
٣٠Inch / ٦٨*db / مروحة محورية بلاستيكية		نوع المروحة / حجم / ضوضاء
١٨٠٠* CMH / ١٠٥٠* CFM		تدفق الهواء / قدم مكعب في الدقيقة الواحدة
١٠٩٥ X ١٠٠ X ١١٨٠ MM		حجم وسادة التبريد
وزن (كيلو غرام)	أبعاد ملي متر	المحيطات الفيزيائية
٤٢	١٥٥٠ X ٦٠٠ X ١١٣٠	K109MW (شواية او ثابت الوجه)
٤٧	١٥٥٠ X ٧٠٥ X ١١٣٠	K309LW (كوة او متحرك الوجه)
٤٩	١٦٨٠ X ٦٠٠ X ١١٣٠	K112MW (شواية او ثابت الوجه)
٥٤	١٦٨٠ X ٧٠٥ X ١١٣٠	K312LW (كوة او متحرك الوجه)
٥٥	١٨٨٠ X ٦٠٠ X ١١٣٠	K120MW (شواية او ثابت الوجه)
٦٠	١٨٨٠ X ٧٠٥ X ١١٣٠	K320LW (كوة او متحرك الوجه)

"Day's Warranty" Reg. Copyright



ضمان غير مشروط ٤٠٠ يوم

كمية هواء قابلة للتعديل
لتناسب جميع الأحوال الجوية



يتم تسليم الهواء
النقي بالأكسجين إليك



أقل من ١/٣٠ تكلفة تشغيل
مكيف الهواء المبرد



عمل طبيعي كاملا



جميع الهواء الخارجي
نقي بنسبة ١٠٠ %



* ٧٥ قدم



* تم اختياره في ظل حالة مثالية

HSN CODE
8479

Utilities



Ducting 013 A



Window Installation 031 A



Home Utility 022 B



Terrace Garden - Restaurant 057 B



Banquet Hall / Cafeteria 052 C



Car Maintenance Area 007 A



Outdoor Auditorium 045 A



Open Hall / Outdoor Area 024 C



Showroom 024 B



Resort 032 B



Cool to Amlal - Kankaria Zoo 046 C



Animal Stable 001 A



Food Processing Factory 005 C



Ceramic Industries 040 C



Woven Factory 023 C



Cool Plastic Processing Machine 055 A



To Cool Electrical Panel Room 055 C



Tool Room - Working Area 035 C

Factory:

Kapsun Air Cooler,
Raj Estate, B/h Sabar Guest House,
Sarkhej-Sanand Cross Road, Sarkhej,
Ahmedabad - 382210, Gujarat (INDIA)

Head Office:

Kapsun Resources Corporation
102, Panchratana Arcade, Next to Croma,
Vapi - Daman Chala Road,
Vapi - 396191, Gujarat (INDIA)

 export@kapsun.com
  **+91 60000 900 50**

Download
Brochure

